


## Author index

- AARDAL, S. *see* ANGELETTI, R.H.  
 ALVING, K. *see* LUNDBERG, J.O.N.  
 ANGELETTI, R.H., AARDAL, S., SERCK-HANSEN, G., GEE, P. & HELLE, K.B. Vasoinhibitory activity of synthetic peptides from the amino terminus of chromogranin-A, 11  
 ANGELETTI, R.H. *see* HELLE, K.B.  
 ANTONIO, J. & GONYEA, W.J. Ring fibres express ventricular myosin in stretch overload quail muscle, 429  
 AUKLAND, K. *see* TENSTAD, O.  
 BALSOM, P.D., GAITANOS, G.C., EKBLOM, B. & SJÖDIN, B. Reduced oxygen availability during high intensity intermittent exercise impairs performance, 279  
 BOURIQUET, N. *see* CASELLAS, D.  
 BÜLOW, A. & JOHANSSON, B. Membrane stretch evoked by cell swelling increases contractile activity in vascular smooth muscle through dihydropyridine-sensitive pathways, 419  
 BÜLOW, A. *see* GUSTAFSSON, H.  
 CASELLAS, D. & BOURIQUET, N. Nimodipine-resistant tone in myogenically active preglomerular arteries of rat kidneys, 345  
 CLAUSEN, G. & NIELSEN, O.B. The Na<sup>+</sup>, K<sup>+</sup>-pump and muscle contractility, 365  
 CLAUSEN, G. *see* TENSTAD, O.  
 COGHLAN, J.P. *see* MCKINLEY, M.J.  
 CRENSHAW, A.G., THORNELL, L.-E. & FRIDÉN, J. Intramuscular pressure, torque and swelling for the exercise-induced sore vastus lateralis muscle, 265  
 CRESSWELL, A.G. *see* LÖSCHER, W.N.  
 CRONE, C. & NIELSEN, J. Central control of disynaptic reciprocal inhibition in humans, 351  
 DELAY-GOYET, P. *see* STJÄRNE, P.  
 DONNER, K. *see* KOSKELAINEN, A.  
 DUDLEY, G.A. *see* HARRIS, R.T.  
 EDVINSSON, L. *see* YOU, J.P.  
 EKBLOM, B. *see* BALSOM, P.D.  
 EKELUND, U. Effects of glycyl trinitrate, nitroprusside and nitric oxide on arterial, venous and capillary functions in cat skeletal muscle *in vivo*, 93  
 EKSTRÖM, J., MARSHALL, T., TOBIN, G. & WILLIAMS, K.M. Electrophoretic analysis of cat paratoid saliva in response to parasympathetic stimulation or infusion of bethanechol, 57  
 FAGIUS, J. & TRAVERSA, R. Human sympathetic nerve activity to glabrous skin does not increase during stimulated diving, 249  
 FRIDÉN, J. *see* CRENSHAW, A.G.  
 FRISÉN, L. *see* ROSSITTI, S.  
 GAITANOS, G.C. *see* BALSOM, P.D.  
 GEE, P. *see* ANGELETTI, R.H.  
 GONYEA, W.J. *see* ANTONIO, J.  
 GRAHN, B., *see* LEWIN, L.  
 GRIMBY, G., *see* SVANTESSON, U.  
 GRUNDEMAR, L. *see* ZYGMUNT, P.M.  
 GUSTAFSSON, H., BÜLOW, A. & NILSSON, H. Rhythmic contractions of isolated, pressurized small arteries from the rat, 145  
 GUSTAFSSON, L.E. *see* IVERSON, H.H.  
 HARA, T.J. Olfaction and gustation in fish: an overview, 207  
 HARDEBO, J.E. *see* KÄHRSTRÖM, J.  
 HARRIS, R.T. & DUDLEY, G.A. Factors limiting force during slow, shortening actions of the quadriceps femoris muscle group *in vivo*, 63  
 HELLE, K.B. & ANGELETTI, R.H. Chromogranin A: a multipurpose hormone?, 1  
 HELLE, K.B. *see* ANGELETTI, R.H.  
 HELLE, K.B. *see* SVERDRUP, A.  
 HEMILÄ, S. *see* KOSKELAINEN, A.  
 HJEMDAHL, P. *see* SCHWIELER, J.H.  
 HÖGESTÄTT, E.D. *see* ZYGMUNT, P.M.  
 IVERSON, H.H., WIKLUND, N.P. & GUSTAFSSON, L.E. Nitric oxide-like activity in guinea-pig colon as determined by effector responses, bioassay and chemiluminescence analysis, 315  
 JANSEN-OLESON, I. *see* YOU, J.P.  
 JÖRGENSEN, J.C. *see* STEENSTRUP, B.R.  
 JÖRGENSEN, M. *see* STEENSTRUP, B.R.  
 JOHANSSON, B. *see* BÜLOW, A.  
 JUN T. & WENNMAALM, Å. L-Arginine-induced hypotension in the rat. Evidence that NO synthesis is not involved, 385  
 KAHAN, T. *see* SCHWIELER, J.H.  
 KÄHRSTRÖM, J., NORDBERG, C., HARDEBO, J.E. & OWMAN, C. A morphometric study of the effect of bilateral cervical sympathetic ganglionectomy on the architecture of pial arteries in spontaneously hypertensive and normotensive rats, 407  
 KERASSIDIS, S. Is palmar and plantar sweating thermoregulatory?, 259  
 KOSKELAINEN, A., HEMILÄ, S. & DONNER, K. Spectral sensitivities of short- and long-wavelength sensitive cone mechanisms in the frog retina, 115  
 KOSKININ, L.O.-D. The influence of muscarinic and

- prostaglandin mechanisms on regional cerebral and peripheral blood flows and on the vascular effects of thyrotropin releasing hormone (TRH), 398  
 KRÜGER, P.G. *see* SVERDRUP, A.
- LASSEN, N.A. *see* YOU, J.P.
- LEWIN, L., MATTSON, M.-O., GRAHN, B. & SELLSTRÖM. Inhibition of SKF 89976-A of the gamma-aminobutyric acid release from primary neuronal chick cultures, 173
- LÖSCHER, W.N., CRESSWELL, A.G. & THORTENSSON, A. Electromyographic responses of the human triceps surae and force tremor during sustained sub-maximal isometric plantar flexion, 73
- LOU, F. & SUN, Y.-B. Moderate fatigue studied at great sarcomere lengths in frog single muscles, 163
- LUNDBERG, J.O.N., RINDER, J., WEITZBERG, E., LUNDBERG, J.M. & ALVING, K. Nasally exhaled nitric oxide in humans originates mainly in the paranasal sinuses, 431
- LUNDBERG, J.M. *see* LUNDBERG, J.O.N.
- LUNDBERG, J.M. *see* WEITZBERG, E.
- LYNCH, G.S., MCKENNA, M.J. & WILLIAMS, D.A. Sprint-training effects on some contractile properties of single skinned human muscle fibres, 295
- MAJIMA, T. *see* NAKAGAWA, Y.
- MARSHALL, T. *see* EKSTRÖM, J.
- MATTSON, M.-O. *see* LEWIN, L.
- MCKENNA, M.J. *see* LYNCH, G.S.
- MCKINLEY, M.J., RUNGREN, M. & COGHILAN, J.P. Cerebral osmoregulatory reduction of plasma renin concentration in sheep, 323
- MEBÖ, J.I. Estimation of lactate release from contracting muscles in humans: a response to recent correspondence, 235
- MODIN, A. *see* WEITZBERG, E.
- NAGASHIMA, K. *see* NAKAGAWA, Y.
- NAKAGAWA, Y., MAJIMA, T. & NAGASHIMA, K. Effect of ageing on ultrastructure of slow and fast skeletal muscle in rabbit Achilles tendons, 307
- NEILSEN, J. Further evidence of increased motor cortex excitability during tonic planar flexion in humans, 341
- NIELSEN, J. *see* CRONE, C.
- NIELSEN, O.B. *see* CLAUSEN, G.
- NIKINMAA, M., & TIHONEN, K. Substrate transport and utilization in fish erythrocytes, 183
- NILSSON, H. *see* GUSTAFSSON, H.
- NORDBERG, C. *see* KÄHRSTRÖM, J.
- NUSSBERGER, J. *see* SCHWEILER, J.H.
- ÖIEN, A.H. *see* TENSTAD, O.
- ÖSTGAARD, G. & REED, R.K. Increased lymphatic hyaluronan output and preserved hyaluronan content of the rat small intestine in prolonged hypoproteinaemia, 57
- OLAUSSEN, B., XU, Z.Q. & SHYU, B.-C. Dorsal column inhibition of nociceptive thalamic cells mediated by gamma-aminobutyric acid mechanisms in the cat, 239
- OTTESON, B. *see* STEENSTRUP, B.R.
- OWMAN, C. *see* KÄHRSTRÖM, J.
- PAHLMARK, K. *see* ZHAO, Q.
- PAULSON, O.B. *see* YOU, J.P.
- REED, R.K. *see* ÖSTGAARD, G.
- RINDER, J. *see* LUNDBERG, J.O.N.
- RINDER, J. *see* STJÄRNE, P.
- ROSSITTI, S. & FRISÉN, L. Remodelling of the retinal arterioles in descending optic atrophy follows the principle of minimum work, 333
- RUDEHILL, A. *see* WEITZBERG, E.
- RUNDGREN, M. *see* MCKINLEY, M.J.
- SCHWEILER, J.H., KAHAN, T., NUSSBERGER, J. & HJEMDAHL, P. Participation of prostaglandins and bradykinin in the effects of angiotensin II and converting enzyme-inhibition on sympathetic neurotransmission *in vivo*, 83
- SCOTT A.P. *see* SÖRENSEN, P.W.
- SELLSTRÖM, Å. *see* LEWIN, L.
- SERCK-HANSEN, G. *see* ANGELETTI, R.H.
- SHYU, B.-C. *see* OLAUSSEN, B.
- SIESJÖ, B.K. *see* ZHAO, Q.
- SJÖDIN, B. *see* BALSOM, P.D.
- SMITH, M.-L. *see* ZHAO, Q.
- SÖRENSEN, P.W., & SCOTT, A.P. The evolution of hormonal sex pheromones in teleost fish: poor correlation between the pattern of steroid release by goldfish and olfactory sensitivity suggests that these cues evolved as a result of chemical spying rather than signal specialization, 191
- STEENSTRUP, B.R., OTTESON, B., JÖRGENSEN, M. & JÖRGENSEN, J.C. Pituitary adenylate cyclase activating polypeptide induces vascular relaxation and inhibits non-vascular smooth muscle activity in the rabbit female genital tract, 129
- STJÄRNE, P., RINDER, J. & DELAY-GOYET, P. Effects of NK1u receptor-antagonists on vasodilation induced by chemical and electrical activation of sensory C-fibre afferents in different organs, 153
- SUN, Y.-B. *see* LOU, F.
- SVANTESSON, U., GRIMBY, G. & THOMÉÉ, R. Potentiation of concentric planar flexion torque following eccentric and isometric muscle actions, 287
- SVERDRUP, A., KRÜGER, P.G. & HELLE, K.B. Role of the endothelium in regulation of vascular functions in two teleosts, 219
- TENSTAD, O., WILLIAMSON, H.E., & AUKLAND, K. Repeatable measurement of local and zonal GFR in the rat kidney with aprotinin, 21

- TENSTAD, O., WILLIAMSON, H.E., CLAUSEN, G., OIEN, A.H. & AUKLAND, K. Glomerular filtration and tubular absorption of the basic polypeptide aprotinin, 33
- THOMÉ, R. *see* SVANTESSON, U.
- THORNELL, L.-E. *see* CRENSHAW, A.G.
- THORTENSSON, A. *see* LÖSCHER, W.N.
- TIHONEN, K. *see* NIKINMAA, M.
- TOBIN, G. *see* EKSTRÖM, J.
- TRAVERSA, R. *see* FAGIUS, J.
- WALDECK, K. *see* ZYGMUNT, P.M.
- WANG, Q. *see* YOU, J.P.
- WEITZBERG, E., RUDEHILL, A., MODIN, A. & LUNDBERG, J.M. Porcine intrinsic pulmonary and systematic vascular tone is endothelin-dependent, 433
- WEITZBERG, E. *see* LUNDBERG, J.O.N.
- WENNEMALM, Å. *see* JUN, T.
- WIKLUND, N.P. *see* IVERSON, H.H.
- WILLIAMS, D.A. *see* LYNCH, G.S.
- WILLIAMS, K.M. *see* EKSTRÖM, J.
- WILLIAMSON, H.E. *see* TENSTAD, O.
- XU, Z.Q. *see* OLAUSSON, B.
- YOU, J.P., WANG, Q., ZHANG, W., JANSEN-OLESEN, I., PAULSON, O.B., LASSEN, N.A. & EDVINSSON, L. Hypercapnic vasodilation in isolated rat basilar arteries is exerted via low pH and does not involve nitric oxide synthase stimulation or cyclic GMP production, 391
- ZHANG, W. *see* YOU, J.P.
- ZHAO, Q., PAHLMARK, K., SMITH, M.-L. & SIESJÖ, B.K. Delayed treatment with the spin trap  $\alpha$ -phenyl-*N*-*tert*-butyl nitron (PBN) reduces infarct size following transient middle cerebral artery occlusion in rats, 349
- ZYGMUNT, P.M., GRUNDEMAR, L. & HÖGESTÄTT, E.D. Endothelium-dependent relaxation resistant to *N* $\Omega$ -nitro-L-arginine in the rat hepatic artery and aorta, 107
- ZYGMUNT, P.M., HÖGESTÄTT, E.D. & GRUNDEMAR, L. Light-dependent effects of zinc protoporphyrin IX on endothelium-dependent relaxation resistant to *N* $\Omega$ -nitro-L-arginine, 137
- ZYGMUNT, P.M., WALDECK, K. & HÖGESTÄTT, E.D. The endothelium mediates a nitric oxide-independent hyperpolarization and relaxation in the rat hepatic artery, 375



## Subject index

- Acetylcholine, 107, 219  
Achilles tendon, 307  
Acidosis, 295  
Acute altitude, 279  
Adrenal medulla, 1  
Adrenaline, 219  
Ageing, 307  
 $\gamma$ -aminobutyric acid, 173  
Amino acid transport, 183  
Angiotension II, 345  
Arcuate and interlobular arteries, 345  
Arteries, 93, 375  
Artery, 145  
Asthma, 431  
Autonomic nerves, 315  
Autonomic nervous system, 398
- Basal tone, 345  
Basilar artery, 391  
Behaviour, 207  
Bethanechol, 57  
Bioassay, 315  
Biologically active sequences, 1  
Blood lactate, 279  
Blood pressure, 385  
Blood vessels, 107, 137, 219, 333  
Bosentan, 433  
Bradykinin, 83  
Brain, 349
- Calcium antagonism, 419  
Capillaries, 93  
Capillary pressure, 93  
Capsaicin, 153  
Carbon monoxide, 137  
Cardiovascular function, 398  
Cat, 239  
Cat parotid saliva, 57  
Catecholamines, 365  
Charged polypeptides, 33  
Chemical stimuli, 207  
Cholinergic mechanisms, 398  
Chromogranin A, 1, 11  
Chromostatin, 1  
Cod, 219  
Collagen, 307  
Colloid osmotic pressure, 51  
Colour vision, 115  
Communication, 191  
Compartment compliance, 265  
Concentric activity, 265  
Cone photoreceptor, 115  
CP-96,345, 153
- Delayed onset muscle soreness, 265  
Diclofenac, 83  
Diving response, 249  
Dorsal column neurilemma, 239
- Eccentric activity, 265  
EDNO, 93  
Electromyography, 73, 287  
Electrophoresis, 57  
Electroretinogram, 115  
Endocrine and exocrine pancreas, 1  
Endothelin, 433  
Endothelin-1, 219  
Endothelin receptor antagonist, 433  
Endothelium, 137, 145, 385, 391  
Energy metabolism, 183  
Evolution, 191  
Exhaled air, 431
- Fallopian tube, 129  
Fast muscle, 307  
Fatigue, 73  
Felodipine, 419  
Fibre swelling, 265  
Fibre types, 295  
Fibroblast, 307  
Fish, 207  
Fish erythrocytes, 183  
Focal ischaemia, 349  
Force-velocity, 63  
Free radicals, 349  
Frog, 115
- GABA, 239  
Gibbs-Donnan distribution, 33  
Gibbs-Donnan equilibrium, 21  
Glomerular sieving coefficient, 33  
Goldfish, 191  
Guanylyl cyclase, 391  
Gustation, 207
- H-reflex, 341, 351  
Haemodynamics, 333  
Haem oxygenases, 137  
HOE 140, 83  
Homocysteic acid, 239  
Hormone, 191  
Hormone secretion, 1  
Host defence, 431  
Human skeletal muscle, 63, 265  
Hyaluronic acid, 51  
Hypercapnia, 391  
Hyperpolarization, 375

- Hypertension, 407  
 Hypertonicity, 323  
 Hypoproteinaemia, 51  
 Hypoxanthine, 279  
 Hypoxia, 279  
  
*in vitro*, 391  
 Indomethacin, 219  
 Inhibitory peptides, 1  
 Insulin, 365  
 Intermittant exercise, 279  
 Intracarotid, 323  
 Intramuscular pressure, 265  
 Isometric, 163  
 Isometric contraction, 73  
  
 Kartagener's syndrome, 431  
 Kidney proximal tubules, 21  
  
 Lamina terminalis, 323  
 Lateral funiculus, 239  
 Local glomerular filtration rate, 33  
 Lymph mesenteric, 51  
  
 Magnetic stimulation, 341  
 Manganese, 345  
 Maxillary sinus, 431  
 Mean arterial blood pressure, 433  
 Membrane potential, 375  
 Metabolism, 191  
 Metalloporphyrins, 137  
 Methylene blue, 391  
 Microcirculation, 93  
 Microneurography, 249  
 Moderate fatigue, 163  
 Monocarboxylic acid transport, 183  
 Monosaccharide transport, 183  
 Morphology, 307  
 Motoneurons, 341, 351  
 Motor cortex, 341  
 Muscle, 429  
 Muscle contraction, 295  
 Muscle fibre, 429  
  
 Na<sup>+</sup>, K<sup>+</sup>-transport, 365  
 L-NAME, 93  
 Neuromuscular, 63  
 Neuronal cultures, release of, 173  
 Nitrate, 385  
 Nitric oxide, 93, 107, 137, 315, 375, 431  
 Nitro-L-arginine, 391  
 Nitroglycerin, 93  
 L-NMMA, 219  
 Non-adrenergic non-cholinergic smooth muscle, 315  
 Noradrenaline, 83, 145  
  
 Olfaction, 191, 207  
 Olfactory organ, 207  
  
 Ophthalmoscopy, 333  
 Optic atrophy, 333  
 Optimality concepts, 333  
 Oscillations, 145  
 Osmolarity, 419  
 Osmoregulation, 323  
 Ovarian artery, 129  
 Oxygen uptake, 279  
  
 Pain, 239  
 Panceastatin, 1  
 Pancreas, 1  
 Paranasal sinuses, 431  
 Parastatin, 1  
 Parasympathetic stimulation, 57  
 Parathyroid physiological roles, 1  
 Peptides, 398  
 Performance, 279  
 PH, 391  
 $\alpha$ -phenyl-*N*-tert-butyl nitron, 349  
 Pheromone, 191  
 Pial arteries, 407  
 Picrotoxin, 239  
 Pig, 153  
 Pinacidil, 419  
 Pituitary adenylate cyclase activating polypeptide, 129  
 Planar flexion, 287  
 Portal vein, 419  
 Potassium, 365  
 Pressure, 145  
 Prostaglandins, 83, 398  
 Proteinuria, 33  
 Pulmonary artery pressure, 433  
  
 Radioimmunoassay, 433  
 Ramiprilat, 83  
 Rat, 145, 349, 391  
 Receptors, 207  
 Reciprocal inhibition, 35  
 Reflex pathways, 35  
 Regional blood flow, 398  
 Relaxation, 137, 259, 375  
 Renal autoregulation, 21  
 Renal glomerulus, 21  
 Renin, 323  
 Retina, 333  
 Retinal vessels, 333  
 Review, 35  
 RP-67,580, 153  
  
 Saclofen, 239  
 Salmon, 219  
 Sarcomere length, 163  
 Segment length, 163  
 Skeletal muscle, 163  
 SKF 89976-A, 173  
 Skin blood flow, 249  
 Skinned muscle fibres, 295

Slow muscle, 307  
Smooth muscle, 11, 429  
Sodium, 365  
Sorbitol, 323  
Spectral sensitivity, 115  
Steroid, 191  
Stretch-shortening cycle, 287  
Substance P, 153  
Sweating, 259  
Sympathetic nerves, 407  
Sympathetic nervous system, 249  
  
Taste bud, 207  
Tensile strength, 307  
Tetanus, 163  
Thalamus, 239  
Thermoregulation, 259  
Thyrotropin releasing hormone, 398  
Torque, 265  
Training, 365  
Tremor, 73

TRH, 398  
Trophic effects, 407  
Tubular polypeptide reabsorption, 21  
  
Urea, 419  
  
Vascular endothelium, 107, 375  
Vascular resistance, 385  
Vascular smooth muscle, 419  
Vascular tone, 93  
Vasculature ivasotatins, 1  
Vasoactive intestinal peptide, 57  
Vasoconstriction, 11, 219  
Vasodilation, 107, 153, 333  
Vasomotion, 145  
Vasomotor response, 391  
Veins, 93  
Visual pigment, 115  
Voluntary movement, 341  
  
Zinc protoporphyrin, 137